

**LIST PRICE**



**Gloster Cables Limited**

**Domestic Cables**

Single Core 0.5 To 6 Sqmm  
Standard Packing 90/180/270 Meters

**Flexible Cables**

Single Core And Multi Core  
Standard Packing 100 meters

**Flat Submersible Cables**

3 Core Cables For Pump Motors



Manufacturing As Per  
IS 694 : 2010 Standards

**ISO 9001:2015**



**Safety Is Not Expensive. It Is Priceless !!!!**



# TRIPLE LAYER FRLSH



HR-FRLSH+FRLSH+FRLSH

(Heat Resistant+Flame Retardant+Low Smoke+Low Halogen)



**Safety Is Not Expensive. It Is Priceless !!!!!**

## PRICE LIST FOR DOMESTIC CABLES


## 90 Meters

PRICE LIST NO : GCL/DOM/MAY-2023

WITH EFFECT FROM : 11/05/2023

“GLOSTER” Single Core Unsheathed **TRIPLE LAYER FRLSH** : HR-FRLSH+FRLSH+FRLSH  
(Heat Resistant+Flame Retardant+Low Smoke+Low Halogen) PVC Insulated Heavy Duty Industrial Cable  
With Flexible Bright Annealed Electrolytic Copper Conductor For Voltage Grade Up To 1100 Volts Conforming  
To IS : 694 As Amended Up To Date.

Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil (90 Meters)	No. Of Coils In Master Carton
0.50	16/0.20	870	28 Coils
0.75	24/0.20	1230	24 Coils
1.00	32/0.20	1600	16 Coils
1.50	30/0.25	2245	12 Coils
2.50	50/0.25	3700	8 Coils
4.00	56/0.30	5660	6 Coils
6.00	84/0.30	8460	4 Coils



As per international practice (also adopted by BIS), Size of the conductor is decided by its resistance only. Construction of conductor, indicated in the list price, are only for guidelines and as per market convention.

### Terms And Conditions :

**HSN CODE : 85446020**

Prices are exclusive of GST and other taxes.

Freight : FOR for order value above 5 Lakhs within Telangana

FOR for order value above 10 Lakhs outside Telangana

Packing : 90 meters in mono carton box, 180 and 270 meters in poly pouch.

Shipping : Packed in corrugated master boxes.

This price list supercedes all our earlier price lists and is subject to change without prior notice.

[www.glostercable.com](http://www.glostercable.com)

# TRIPLE LAYER FRLSH



HR-FRLSH+FRLSH+FRLSH

(Heat Resistant+Flame Retardant+Low Smoke+Low Halogen)



**Safety Is Not Expensive. it Is Priceless !!!!!**

## PRICE LIST FOR DOMESTIC CABLES


## 180 Meters

PRICE LIST NO : GCL/DOM/MAY-2023

WITH EFFECT FROM : 11/05/2023

“GLOSTER” Single Core Unsheathed **TRIPLE LAYER FRLSH** : HR-FRLSH+FRLSH+FRLSH  
(Heat Resistant+Flame Retardant+Low Smoke+Low Halogen) PVC Insulated Heavy Duty Industrial Cable  
With Flexible Bright Annealed Electrolytic Copper Conductor For Voltage Grade Up To 1100 Volts Conforming  
To IS : 694 As Amended Up To Date.

Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil (180 Meters)	No. Of Coils In Master Carton
1.00	32/0.20	3200	8 Coils
1.50	30/0.25	4490	6 Coils
2.50	50/0.25	7400	4 Coils
4.00	56/0.30	11320	3 Coils
6.00	84/0.30	16920	2 Coils



As per international practice (also adopted by BIS), Size of the conductor is decided by its resistance only. Construction of conductor, indicated in the list price, are only for guidelines and as per market convention.

### Terms And Conditions :

**HSN CODE : 85446020**

Prices are exclusive of GST and other taxes.

Freight : FOR for order value above 5 Lakhs within Telangana

FOR for order value above 10 Lakhs outside Telangana

Packing : 90 meters in mono carton box, 180 and 270 meters in poly pouch.

Shipping : Packed in corrugated master boxes.

This price list supercedes all our earlier price lists and is subject to change without prior notice.

[www.glostercable.com](http://www.glostercable.com)

# TRIPLE LAYER FRLSH



HR-FRLSH+FRLSH+FRLSH

(Heat Resistant+Flame Retardant+Low Smoke+Low Halogen)



**Safety Is Not Expensive. it Is Priceless !!!!!**

## PRICE LIST FOR DOMESTIC CABLES


## 270 Meters

PRICE LIST NO : GCL/DOM/MAY-2023

WITH EFFECT FROM : 11/05/2023

“GLOSTER” Single Core Unsheathed **TRIPLE LAYER FRLSH** : HR-FRLSH+FRLSH+FRLSH  
(Heat Resistant+Flame Retardant+Low Smoke+Low Halogen) PVC Insulated Heavy Duty Industrial Cable  
With Flexible Bright Annealed Electrolytic Copper Conductor For Voltage Grade Up To 1100 Volts Conforming  
To IS : 694 As Amended Up To Date.

Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil (270 Meters)	No. Of Coils In Master Carton
1.00	32/0.20	4800	6 Coils
1.50	30/0.25	6735	4 Coils
2.50	50/0.25	11100	3 Coils
4.00	56/0.30	16980	2 Coils
6.00	84/0.30	25380	2 Coils



As per international practice (also adopted by BIS), Size of the conductor is decided by its resistance only. Construction of conductor, indicated in the list price, are only for guidelines and as per market convention.

### Terms And Conditions :

**HSN CODE : 85446020**

Prices are exclusive of GST and other taxes.

Freight : FOR for order value above 5 Lakhs within Telangana

FOR for order value above 10 Lakhs outside Telangana

Packing : 90 meters in mono carton box, 180 and 270 meters in poly pouch.

Shipping : Packed in corrugated master boxes.

This price list supercedes all our earlier price lists and is subject to change without prior notice.

[www.glostercable.com](http://www.glostercable.com)

# PRICE LIST FOR FLEXIBLE CABLES

Rate/100 Meters



**Safety Is Not Expensive. it Is Priceless !!!!!**

PRICE LIST NO : GCL/FLEX/MAY-2023

WITH EFFECT FROM : 11/05/2023

“GLOSTER” **SINGLE CORE** Unsheathed **FRLSH** PVC Insulated Industrial Cables With Flexible Bright Annealed Copper Conductor For Voltage Grade Up To 1100 Volts Conforming To IS : 694 As Amended Up To Date.

Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil	Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil	Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil
10.00	80/0.40	17570	16.00	126/0.40	27710	25.00	196/0.40	43300

“GLOSTER” **SINGLE CORE** Unsheathed PVC Insulated AND Multi Core PVC Insulated, PVC Sheathed Industrial Cables With Flexible Bright Annealed Copper Conductor For Voltage Grade Up To 1100 Volts Conforming/Generally Conforming To IS : 694 As Amended Up To Date.

Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil	Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil	Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil
10.00	80/0.40	16955	70.00	360/0.50	117715	240.00	1221/0.50	403865
16.00	126/0.40	26740	95.00	475/0.50	157400	300.00	1525/0.50	501075
25.00	196/0.40	41830	120.00	608/0.50	201540	400.00	2013/0.50	673650
35.00	276/0.40	57930	150.00	750/0.50	248400	500.00	1769/0.50	852635
50.00	396/0.40	83150	185.00	925/0.50	308760	630.00	2196/0.50	1159105

## 2-Core Flexible Cables

Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil	Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil	Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil
0.5	16/0.20	2865	4.00	56/0.30	15190	35.00	276/0.40	119580
0.75	24/0.20	3850	6.00	84/0.30	22030	50.00	396/0.40	179810
1.00	32/0.20	4650	10.00	80/0.40	36555	70.00	360/0.50	244010
1.50	30/0.25	6295	16.00	126/0.40	56720	95.00	475/0.50	318260
2.50	50/0.25	9895	25.00	196/0.40	87075	120.00	608/0.50	406480

As per international practice (also adopted by BIS), Size of the conductor is decided by its resistance only. Construction of conductor, indicated in the list price, are only for guidelines and as per market convention.

### Terms And Conditions :

**HSN CODE : 85446020**

Prices are exclusive of GST and other taxes.

Freight : FOR for order value above 5 Lakhs within Telangana

FOR for order value above 10 Lakhs outside Telangana

Packing : 100 meters coils, poly wrapped. Longer lengths also can be supplied as per requirement.

This price list supercedes all our earlier price lists and is subject to change without prior notice.

[www.glostercable.com](http://www.glostercable.com)

# PRICE LIST FOR FLEXIBLE CABLES

Rate/100 Meters



**Safety Is Not Expensive. it Is Priceless !!!!!**

PRICE LIST NO : GCL/DOM/MAY-2023

WITH EFFECT FROM : 11/05/2023

## 3-Core Flexible Cables

"GLOSTER" Multi Core PVC Insulated, PVC Sheathed Industrial Cables With Flexible Bright Annealed Copper Conductor For Voltage Grade Up To 1100 Volts Conforming/Generally Conforming To IS : 694 As Amended Up To Date.

Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil	Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil	Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil
0.5	16/0.20	3780	4.00	56/0.30	21745	35.00	276/0.40	177425
0.75	24/0.20	5180	6.00	84/0.30	31540	50.00	396/0.40	254720
1.00	32/0.20	6345	10.00	80/0.40	52795	70.00	360/0.50	351445
1.50	30/0.25	8550	16.00	126/0.40	82750	95.00	475/0.50	463290
2.50	50/0.25	14355	25.00	196/0.40	127975	120.00	608/0.50	594400

## 4-Core Flexible Cables

Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil	Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil	Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil
0.5	16/0.20	4775	4.00	56/0.30	28390	35.00	276/0.40	232440
0.75	24/0.20	6600	6.00	84/0.30	41465	50.00	396/0.40	331305
1.00	32/0.20	8090	10.00	80/0.40	69635	70.00	360/0.50	469275
1.50	30/0.25	11395	16.00	126/0.40	107885	95.00	475/0.50	620110
2.50	50/0.25	18500	25.00	196/0.40	167825	120.00	608/0.50	815930

As per international practice (also adopted by BIS), Size of the conductor is decided by its resistance only. Construction of conductor, indicated in the list price, are only for guidelines and as per market convention.

### Terms And Conditions :

**HSN CODE : 85446020**

Prices are exclusive of GST and other taxes.

Freight : FOR for order value above 5 Lakhs within Telangana

FOR for order value above 10 Lakhs outside Telangana

Packing : 100 meters coils, poly wrapped. Longer lengths also can be supplied as per requirement.

This price list supercedes all our earlier price lists and is subject to change without prior notice.

[www.glostercable.com](http://www.glostercable.com)

# PRICE LIST FOR FLEXIBLE CABLES

Rate/100 Meters



**Safety Is Not Expensive. it Is Priceless !!!!!**

PRICE LIST NO : GCL/FLEX/MAY-2023

WITH EFFECT FROM : 11/05/2023

## 5 Core To 10 Core Flexible Cables

"GLOSTER" Multi Core PVC Insulated, PVC Sheathed Industrial Cables With Flexible Bright Annealed Copper Conductor For Voltage Grade Up To 1100 Volts Conforming/Generally Conforming To IS : 694 As Amended Up To Date.

Size (Sqmm)	No. Of Wires Wire Dia	5-Cores	6-Cores	7-Cores	8-Cores	10-Cores
0.5	16/0.20	6020	6960	8230	9275	11770
0.75	24/0.20	8375	9875	11340	12605	16125
1.00	32/0.20	10685	12705	14165	15840	20345
1.50	30/0.25	14025	16590	19570	22285	28010
2.50	50/0.25	22530	26805	31455	35890	45415
4.00	56/0.30	35425	42105	49535	56070	71090
6.00	84/0.30	51820	62365	74050	86280	113635

## 12 Core To 24 Core Flexible Cables

Size (Sqmm)	No. Of Wires Wire Dia	12-Cores	14-Cores	16-Cores	19-Cores	24-Cores
0.5	16/0.20	13715	16055	17990	20735	27975
0.75	24/0.20	19575	22425	26100	30160	39330
1.00	32/0.20	23865	27680	32080	38000	50455
1.50	30/0.25	32800	38620	44170	52040	71935
2.50	50/0.25	54150	62785	71795	84300	117510
4.00	56/0.30	85185	97560	112620	132510	185660
6.00	84/0.30	128645	153845	175070	207590	252400

As per international practice (also adopted by BIS), Size of the conductor is decided by its resistance only. Construction of conductor, indicated in the list price, are only for guidelines and as per market convention.

### Terms And Conditions :

**HSN CODE : 85446020**

Prices are exclusive of GST and other taxes.

Freight : FOR for order value above 5 Lakhs within Telangana

FOR for order value above 10 Lakhs outside Telangana

Packing : 100 meters coils, poly wrapped. Longer lengths also can be supplied as per requirement.

This price list supercedes all our earlier price lists and is subject to change without prior notice.

[www.glostercable.com](http://www.glostercable.com)

# PRICE LIST FOR 3 CORE FLAT SUBMERSIBLE CABLES Rate/100 Meters




PRICE LIST NO : GCL/FLAT/MAY-2023

WITH EFFECT FROM :11/05/2023

“GLOSTER” Three Core Flat Cables With Bunched Copper Conductor, PVC Insulated, PVC Sheathed For Submersible Pump Motors For Voltage Grade Up To 1100 Volts Conforming To IS : 694 As Amended Up To Date.

Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil	Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil	Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil
1.50	30/0.25	8445	2.50	50/0.25	13285	4.00	56/0.30	20365

“GLOSTER” Three Core Flat Cables With Bunched Copper Conductor, PVC Insulated, PVC Sheathed For Submersible Pump Motors For Voltage Grade Up To 1100 Volts Generally Conforming To IS : 694 As Amended Up To Date.

Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil	Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil	Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil
6.00	84/0.30	29875	10.00	80/0.40	50050	16.00	126/0.40	77215
25.00	196/0.40	121940				35.00	276/0.40	166835

**Prices For Other Sizes, Not Covered In The List Price, Will Be Provided On Request.**

## Safety Is Not Expensive. it Is Priceless !!!!

As per international practice (also adopted by BIS), Size of the conductor is decided by its resistance only. Construction of conductor, indicated in the list price, are only for guidelines and as per market convention.

### Terms And Conditions :

**HSN CODE : 85446020**

Prices are exclusive of GST and other taxes.

Freight : FOR for order value above 5 Lakhs within Telangana

FOR for order value above 10 Lakhs outside Telangana

Packing : 500/1000 meters in wooden drums. Longer lengths also can be supplied as per requirement.

This price list supercedes all our earlier price lists and is subject to change without prior notice.

[www.glostercable.com](http://www.glostercable.com)